

Safe and Appropriate Opioid Prescribing

Kaiser Permanente's Approach

Michael Kanter, MD
Southern California Permanente Medical Group
Confidential/privileged information – not for distribution



© 2015 The Permanente Federation, LLC

The Permanente Federation

A Four Pronged Approach to Opioid Safety







Safe and Appropriate Opioid Prescribing Program: Southern California Results

- √ 30 percent reduction in prescribing opioids in high doses
- ✓ 98 percent reduction in number of prescriptions with greater than 200 pills
- √ 90 percent decrease in opioid prescriptions with benzodiazepines and carisoprodol
- √ 72 percent reduction in prescribing of Long-Acting/Extended Release opioids
- √ 95 percent reduction in prescribing of brand name opioidacetaminophen products











Physician Education and Support



☐ Monthly **prescriber-level reporting** on ☐ EMR tools and decision support technology to reinforce workflows and various opioid safety metrics and alert physicians to higher risk scenarios prescribing patterns ☐ Robust trainings (in person and online) ☐ Programs to **effectively manage spine**on scope of opioid epidemic, related pain recommended workflows, patient ☐ Tools and trainings to **improve** communication strategies, and tapering communication and collaboration across service lines approaches ☐ Effective collaboration with Chronic ☐ Easy access to **state prescription** Pain experts (physicians, pharmacists, monitoring database physical therapists, case managers, etc.) ☐ Shared Decision Making tools for clinician-patient discussions

Physician Education and Support



Pharmacy Initiatives and Collaboration

- Review all high dose prescriptions and consult with prescriber when necessary
 Review all prescriptions for short and long acting opioids exceeding a predetermined pill count
 Review any Fentanyl script in opioid naïve patients
- ☐ Drug Use Management initiatives focused on **promoting appropriate and safe**opioid utilization

Physician Education and Support



- ☐ Detailed informed consent (medication agreement) detailing risk/benefits of chronic opioid therapy and behavioral expectations
- ☐ Wide array of online media and educational material
- Periodic and consistent visits with physician to discuss pain condition and opioid medication (frequency varies based on physician discretion and state regulations)

Patient Safety



- ☐ Higher dose patients encouraged to taper when clinically appropriate
- □ Reduced quantity and frequency of opioid prescriptions in ED and after surgery
- □ Decreased number of patients on opioids in addition to benzodiazepines, skeletal-muscle relaxants, and/or Zdrug
- □ Alternatives to opioids offered whenever possible and clinically appropriate
 - Mindfulness training
 - Tai Chi
 - Acupuncture
 - Group classes on pain management
 - Cognitive behavioral therapy

Community Protection



- □ Decreased total quantity of opioids in the community through reduced prescribing
- ☐ Consistent monitoring of Urine Drug
 Screen and state prescription
 monitoring database prevents
 diversion
- ☐ Strategic partnerships with various community initiatives aiming to improve opioid safety
- □ Reports to monitor unusual prescribing patterns and opioid prescription purchases prevents diversion

Thank you

Michael Kanter, MD

Executive Vice President, Quality and Chief Quality Officer
The Permanente Federation

Medical Director

Quality and Clinical Analysis

Southern California Permanente Medical Group



